Reg. No.:						*

## Question Paper Code: 71859

B.E./B.Tech. DEGREE EXAMINATION, APRIL/MAY 2015.

Sixth Semester

Mechanical Engineering

ME 2351/ME 64/10122 ME 602 – GAS DYNAMICS AND JET PROPULSION

(Regulation 2008/2010)

(Common to PTME 2351/10122 ME 602 – Gas Dynamics and Jet Propulsion for B.E. (Part-Time) Fifth Semester – Mechanical Engineering – Regulation 2009/2010)

Time: Three hours

Maximum: 100 marks

(Use of Gas Tables is permitted)

Answer ALL questions.

PART A —  $(10 \times 2 = 20 \text{ marks})$ 

- 1. What is meant by gas dynamics?
- 2. Define Mach number.
- 3. What is meant by stagnation pressure?
- 4. What is 'Fanno flow'?
- 5. What is Oblique shock?
- 6. What is prandtl-meyer relation?
- 7. Define Propulsive efficiency.
- 8. What is the type of compressor used in turbo jet?
- 9. What is monopropellant?
- 10. Classify the rocket engines.

11. (a) An air craft flies at a velocity of 700 kmph in an atmosphere where the pressure is 75kPa and temperature is 5°C. Calculate the Mach number and stagnation properties.

Or

- (b) Air expands isentropically through the convergent nozzle from constant inlet conditions  $P_0=4\,\mathrm{bar},\ T_0=550\mathrm{K}$ . Exit area of nozzle is  $1000\mathrm{cm}^2$ . Determine the exit velocity and mass flow rate for the following two cases at exit.
  - (i) M = 1
  - (ii) M = 0.85.
- 12. (a) The stagnation temperature of air is raised from 85°C to 376°C in a heat exchanger. If the inlet Mach number is 0.4, determine the final Mach number and percentage drop in pressure.

Or

- (b) Air at  $P_0 = 11$  bar,  $T_0 = 420\,\mathrm{K}$  enters at 45 mm diameter pipe at a Mach number of 3 and the friction co-efficient for the pipe surface is 0.001. If the Mach number at exit is 0.8. Determine (i) Masslow rate (ii) Length of the pipe.
- 13. (a) A Jet of air at 270K and 0.7 bar has an initial mach number of 1.9. If it passes through a normal shockwave, determine the following for downstream of the shock.
  - (i) Mach number
  - (ii) Pressure
  - (iii) Temperature
  - (iv) Speed of sound
  - (v) Jet Velocity
  - (vi) Density.

Or

- (b) A gas at a pressure of 340m bar, temperature of 355K and entry Mach number of 1.4 is expanded isentropically to 140m bar. Calculate the following:
  - (i) Deflection angle
  - (ii) Final Mach number
  - (iii) Final temperature of the gas. Take  $\gamma = 1.3$ .

14. (a) Explain with neat sketches the principle of operation of (i) Turbofan engine and (ii) Turbojet engine.

Or

- (b) An aircraft propeller flies at a speed of 440 kmph. The diameter of the propeller is 4.1m and the speed ratio is 0.8. The ambient conditions of air at the flight altitude are  $T=255\,\mathrm{K}$  and P=0.55 bar. Find the following:
  - (i) Thrust
  - (ii) Thrust Power
  - (iii) Propulsive efficiency.
- 15. (a) List the main components of Liquid Propellant Rocket Engine and explain.

Or

(b) A rocket engine has the following data:

Effective jet velocity = 1200 m/sFlight to jet speed ratio = 0.82Oxidizer flow rate = 3.4 kg/s

Fuel flow rate = 1.2 kg/s

Heat of reaction per kg of the exhaust gases = 2520 kJ/kg.

Calculate the following:

- (i) Thrust
- (ii) Specific impulse
- (iii) Propulsive efficiency
- (iv) Thermal efficiency
- (v) Overall efficiency.